LOYOLA MARYMOUNT UNIVERSITY **STUDENT HEALTH SERVICES**

ENTRANCE REQUIREMENTS

ALL INCOMING STUDENTS MUST COMPLETE THE FOLLOWING BY

January 5th 2027

****If you are unable to meet this deadline please upload your information as soon as possible****

1. Review the Consent for Treatment Form.
2. Review the Notice of Privacy Practices.
3. Review the Telehealth Consent Form.
4. Provide documentation of two measles/mumps/rubella (MMR) immunization or proof of immunity (blood titer).
5. Complete Tuberculosis (TB) Screening and/or testing.

- **Go to your MyHealth portal located at *(MyHealth.lmu.edu) login and click on the MEDICAL CLEARANCES Tab***

  located on the left hand side of your screen.

  - *Complete all items in your Medical Clearances section.*

Please Note:

- **Tuberculosis (TB) Screening and/or testing**

  You must submit a TB skin or blood test done within the past 12 months, if your country of origin is designated by the World Health Organization (WHO) as a country with a high incidence of tuberculosis OR you answered "yes" to any of the questions listed in the TB Risk Screening Questionnaire in the Medical Clearances section.

- If your TB skin or blood test is positive, you must also submit a chest x-ray report as proof you do not have active TB.

To view the list of countries designated by the WHO as being high risk for TB see reverse side of this document.

CONTACT STUDENT HEALTH SERVICES

Phone: 310.338.2881

Fax: 310.338.4417

Email:
lmuhealth@lmu.edu

Office:

Burns Recreation Center
Ground-floor level, North

Mailing address:

1 LMU Drive, MS 8455,
Los Angeles CA 90045

Questions?

Please review the Entrance Requirements FAQ's on our web page: lmu.edu/health

Allow 5 business days for SHS to process your forms.

Loyola Marymount University
Student Health Services

HIGH RISK FACTORS FOR ACQUIRING TB ARE AS FOLLOW:

- Close contact with persons known or suspected to have active TB disease
- Persons born in one of the countries listed below that have a high incidence of active TB disease
- Frequent or prolonged visits to one or more of the countries listed below with a high prevalence of TB disease
- A resident and/or employee of high-risk congregate settings (e.g., correctional facilities, long-term care facilities, and homeless shelters)
- A volunteer or health-care worker who served clients who are at increased risk for active TB disease
- A member of any of the following groups that may have an increased incidence of latent M. tuberculosis infection or active TB disease — medically underserved, low-income, or abusing drugs or alcohol

COUNTRIES WITH HIGH INCIDENCE OF TUBERCULOSIS PER WORLD HEALTH ORGANIZATION

Afghanistan
Algeria
Angola
Argentina Armenia
Azerbaijan
Bangladesh Belarus
Belize
Benin
Bhutan
Bolivia(Plurinational State of))
Bosnia and Herzegovina
Botswana
Brazil
Brunei Darussalam
Burkina Faso
Burundi
Cabo Verde
Cambodia
Cameroon
Central African Republic
Chad
China
China, Hong Kong SAR
China, Macao SAR
Colombia
Comoros
Congo
Cote d'Ivoire
Democratic People's Republic of Korea
Democratic Republic of the Congo
Djibouti Dominican Republic Ecuador
El Salvador
Equatorial Guinea
Eritrea
eSwatini
Ethiopia
Fiji
French Polynesia
Gabon
Gambia
Georgia
Ghana
Greenland
Guam
Guatemala Guinea
Guinea-Bissau
Guyana
Haiti
Honduras
India
Indonesia
Iraq
Kazakhstan
Kenya
Kiribati
Kyrgyzstan
Lao People's Democratic Republic
Latvia
Lesotho
Liberia
Libya
Lithuania Madagascar
Malawi
Malaysia
Maldives
Mali
Marshall Islands
Mauritania
Mexico
Micronesia (Federated States of) *Mongolia*
Morocco
Mozambique
Myanmar
Namibia
Nauru
Nepal
Nicaragua
Niger
Nigeria
Niue
Northern Mariana islands
Pakistan
Palau
Panama
Papua New Guinea
Paraguay
Peru
Philippines
Qatar
Republic of Korea
Republic of Moldova
Romania
Russian Federation
Rwanda
Sao Tome and Principe
Senegal
Seychelles
Sierra Leone
Singapore
Solomon Islands
Somalia
South Africa South Sudan Sri Lanka
Sudan Suriname
Syrian Arab Republic
Tajikistan
Tanzania(United Republic of)
Thailand
Timor-Leste
Togo
Trinidad & Tobago
Tunisia
Turkmenistan
Tuvalu
Uganda
Ukraine
Uruguay
Uzbekistan
Vanuatu
Venezuela Bolivarian Republic of
Viet Nam
Yemen
Zambia
Zimbabwe

Source: World Health Organization, Global Health Observatory, Tuberculosis Incidence 2024. Countries with incidence rates of ≥20 cases per 100,000 populations. For future updates, refer to *WHO TB Incidence Report*

Loyola Marymount University
Student Health Services

STUDENT HEALTH SERVICES

lmu.edu/health | lmuhealth@lmu.edu | (310) 338-2881
Burns Recreation Center, Ground-floor level, North

2026-2027 | Published October 2026