# LOYOLA MARYMOUNT UNIVERSITY STUDENT HEALTH SERVICES ENTRANCE REQUIREMENTS

#### ALL INCOMING STUDENTS MUST COMPLETE THE FOLLOWING BY July 15th 2025:

\*\*If you are unable to meet this deadline please upload your information as soon as possible\*\*

- 1. Review the Consent for Treatment Form.
- 2. Review the Notice of Privacy Practices.
- 3. Review the Telehealth Consent Form.
- 4. Provide documentation of two measles/mumps/rubella (MMR) immunization or proof of immunity (blood titer).
- 5. Complete Tuberculosis (TB) Screening and/or testing.
  - Go to your MyHealth portal located at (MyHealth.Imu.edu) login and click on the <u>MEDICAL</u> <u>CLEARANCES Tab</u>

located on the left hand side of your screen.

• Complete all items in your Medical Clearances section.

### <u>Please Note:</u>

- Tuberculosis (TB) Screening and/or testing
   You must submit a TB skin or blood test done within the past 12
   months, if your country of origin is designated by the World
   Health Organization (WHO) as a country with a high incidence
   of tuberculosis OR you answered "yes" to any of the questions
   listed in the TB Risk Screening Questionnaire in the Medical
   Clearances section.
- If your TB skin or blood test is positive, you must also submit a chest x-ray report as proof you do not have active TB.

For more information on Immunizations for college students please Visit <u>American College Health Association</u>

To view the list of countries designated by the WHO as being high risk for TB see reverse side of this document.

## CONTACT STUDENT HEALTH SERVICES

Phone: 310.338.2881

Fax: 310.338.4417

Email: Imuhealth@Imu.edu

Office:

Burns Recreation Center Ground-floor level, North

Mailing address:

1 LMU Drive, MS 8455, Los Angeles CA 90045

### **Questions?**

Please review the Entrance Requirements FAQ's on our web page: Imu.edu/health

Allow 5 business days for SHS to process your forms.



## HIGH RISK FACTORS FOR ACQUIRING TB ARE AS FOLLOW:

- · Close contact with persons known or suspected to have active TB disease
- Persons born in one of the countries listed below that have a high incidence of active TB disease
- Frequent or prolonged visits to one or more of the countries listed below with a high prevalence of TB disease

• A resident and/or employee of high-risk congregate settings (e.g., correctional facilities, long-term care facilities, and homeless shelters)

• A volunteer or health-care worker who served clients who are at increased risk for active TB disease

• A member of any of the following groups that may have an increased incidence of latent M. tuberculosis infection or active TB disease — medically underserved, low-income, or abusing drugs or alcohol

### COUNTRIES WITH HIGH INCIDENCE OF TUBERCULOSIS PER WORLD HEALTH ORGANIZATION

Afghanistan Algeria Angola Anguilla Argentina Argentina Armenia Azerbaijan Bangladesh Belarus Belize Benin Bhutan Bolivia(Plurinational) State of) Bosnia and Herzegovina Botswana Brazil Brunei Darussalam Burkina Faso Burundi Cabo Verde Cambodia Cameroon Central African Republic	China, Hong Kong SAR China, Macao SAR Colombia Comoros Congo Cote d'Ivoire Democratic People's Republic of Korea Democratic Republic of the Congo Djibouti Dominican Republic Ecuador El Salvador El Salvador Equatorial Guinea Eritrea eSwatini Ethiopia Fiji Gabon Gambia Georgia Ghana Greenland Guam Guatemala	Guyana Haiti Honduras India Indonesia Iraq Kazakhstan Kenya Kiribati Kyrgyzstan Lao People's Democratic Republic Lesotho Liberia Libya Lithuania Madagascar Malawi Malaysia Maldives Mali Marshall Islands Mauritania Mexico Micronesia (Federated States of)	Morocco Mozambique Myanmar Namibia Nauru Nepal Nicaragua Niger Nigeria Niue Northern Mariana islands Pakistan Palau Panama Papua New Guinea Paraguay Peru Philippines Qatar Republic of Korea Republic of Korea Republic of Moldova Romania Russian Federation Rwanda Sao Tome and Principe Senegal	Solomon Islands Somalia South Africa South Sudan Sri Lanka Sudan Suriname Tajikistan Tanzania (United Republic of) Thailand Timor-Leste Togo Trinidad & Tobago Tunisia Turkmenistan Turkmenistan Turkmenistan Tuvalu Uganda Ukraine Uruguay Uzbekistan Vanuatu Venezuela (Bolivarian Republic of)
Central African	Guam	Micronesia (Federated	Sao Tome and Principe	(Bolivarian
		States of)	5	
Chad	Guinea	Mongolia	Seychelles	Viet Nam
China	Guinea-Bissau		Sierra Leone	Yemen
			Singapore	Zambia
				<u> </u>

Source: World Health Organization, Global Health Observatory, Tuberculosis Incidence 2023. Countries with incidence rates of ≥20 cases per 100,000 populations. For future updates, refer to <u>http://www.who.int/tb/country/en/</u>.



Loyola Marymount University Student Health Services

### **STUDENT HEALTH SERVICES**

Zimbabwe

Imu.edu/health | Imuhealth@Imu.edu | (310) 338-2881 Burns Recreation Center, Ground-floor level, North